

Accessibility Statement for A Gentle Draw Mobile & Onsite Phlebotomy Website and Mobile Application

This is an accessibility statement from A Gentle Draw Mobile & Onsite Phlebotomy.

Measures to Support Accessibility

A Gentle Draw Mobile & Onsite Phlebotomy takes the following measures to ensure accessibility of our Website and Mobile Application:

- Include accessibility throughout our internal policies.
- Integrate accessibility into our procurement practices.
- Provide continual accessibility training for our staff.
- Assign clear accessibility goals and responsibilities.
- Employ formal accessibility quality assurance methods.

Conformance Status

The Web Content Accessibility Guidelines (WCAG) define requirements for designers and developers to improve accessibility for people with disabilities. It defines three levels of conformance: Level A, Level AA, and Level AAA. A Gentle Draw Mobile & Onsite Phlebotomy Website and Mobile Application are fully conformant with WCAG 2.1 Level AA. Fully conformant means that the content fully adheres to the accessibility standard without any exceptions.

Feedback

We welcome your feedback on the accessibility of A Gentle Draw Mobile & Onsite Phlebotomy Website and Mobile Application. Please let us know if you encounter any accessibility barriers:

- **Phone:** 855-523-3853
- **E-mail:** accessibility@agentledraw.com

We aim to respond to feedback within 2 business days.

Date

This statement was created on 17 August 2024 using the W3C Accessibility Statement Generator Tool.